


CONNECTORS

PRODUCT CATALOG



2014

CONTENTS

Introduction	3
Connectors technical data	4
Barb Connectors	5
Start Connectors	11
Barb Connectors for Micro Tubes	13
Barb Connectors for Mining	15
Fast Ring Connectors	17
Flare Connectors	22
Twist Lock Connectors	26
Start Connectors for Lay Flat Pipes & Spare Parts	27
Start Connectors for PolyNet™ Pipes & Spare Parts.....	28
PolyNet™ Connectors Kits	29
FlatNet™ Connectors Kits	31

Products appearing in this catalogue may be covered by one or more of the following US Patent No. 7644735 and other U.S. patents pending or corresponding issued or pending foreign patents.

All rights are reserved. You are specifically prohibited and not allowed to reproduce, copy, duplicate, manufacture, supply, sell, hire, distribute or adapt all or any part of this publication including any packaging. Netafim™, are trademarks of Netafim™ Ltd., registered in the U.S. and other countries.

We endeavor to provide accurate, quality and detailed information. However we cannot accept liability for your reliance on the provided information and you are advised to independently seek professional advice from Netafim™ and/or its authorized representatives. There is no undertaking by us that the provided information or any part thereof is accurate, complete or up to date .

Mention of third-party products is for informational purposes only and constitutes neither an endorsement nor a recommendation. Netafim™ assumes no responsibility with regard to the performance or use of these products.

In no event shall Netafim™ be liable for any indirect, incidental, special or consequential damages.

INTRODUCTION

Netafim™ comprehensive range of dripperlines / pipes connectors is made of high resistance and durability polymers. They are functional and viable, modeled under the highest market standards and available for all dripperlines / pipes types. Use the catalog to select the right line for your application: Barb connectors, Fast Ring connectors, Flare connectors, Twist Lock connectors and a vast family of start and reducing connectors.

Netafim™ has 4 connector sub-families for dripperlines: 12, 16, 17, and 20 mm



BARB CONNECTORS

APPLICATIONS:

In HWD 0.9, 1.0 and 1.2 mm

BENEFITS:

- Relatively easy to install
- UV resistant
- Durable one-piece construction



FAST RING CONNECTORS

APPLICATIONS:

In TWD & MWD between 0.15 mm (6 mil) and 0.8 mm (32 mil)

BENEFITS:

- Highly reliable connector
- Very easy to handle
- In certain models the connector is supplied in one piece (with rings assembled)
- Easily released from the pipe when required
- UV resistant



FLARE CONNECTORS

APPLICATIONS:

In TWD, MWD & HWD (2 different models of connectors) between 0.15 mm (6 mil) and 1.2 mm (47mil)

BENEFITS:

- An extremely reliable connector (fastened by a nut)
- Very short (the shortest possible) with minimal interference in the retrieval process.
- Very narrow (slightly wider than the dripperline it holds) causing minimal interference with passage through mechanical tools.
- Easily opened (when required).
- UV resistant



TWIST LOCK CONNECTORS

APPLICATIONS:

In TWD and MWD between 0.15 mm (6 mil) and 0.8 mm (32 mil)

BENEFITS:

- An extremely reliable connector (fastened by a nut)
- Easily opened (when required)
- Extremely long - when SDI is used and a dripperline happens to crack/ blow up needing cut off and repair, it will be relatively easy to connect both ends of the pipe using this connector.

CONNECTORS TECHNICAL DATA


	DRIPPERLINE		SUBSURFACE INSTALLATION		LAYING/RECOILING	REUSABLE
	INTERNAL DIAMETER (MM)	WALL THICKNESS (MM)	DEEP INJECTION	SHALLOW INJECTION		
CONNECTORS FOR HWD						
BARB						
12	10.2	1.0 - 1.2	√	√	√	X
16	14.2	0.9 - 1.2	√	√	√	X
17	14.6	1.2	√	√	√	X
20	17.5	1.0 - 1.2	√	√	√	X
BARB for MINING (PURPLE)						
12	10.2	1.0 - 1.2	√	√	√	X
16	14.2	0.9 - 1.2	√	√	√	X
17	14.6	1.2	√	√	√	X
18	15.5	1.1	√	√	√	X
20	17.5	1.0 - 1.2	√	√	√	X
FLARE (ORANGE NUT)						
16 - 17	14.2 - 14.6	0.9 - 1.0	X	X	√	√
20	17.5	0.9 - 1.0	X	X	√	√
23	20.8	0.9 - 1.0	X	X	√	√
CONNECTORS FOR TWD/MWD						
FAST RING						
12 BLUE RING	11.8	6 - 25 mil	X/√	√	X	√
16 BLUE RING	16.2	6 - 25 mil	X/√	√	X	√
16 WHITE RING	15.5	27 - 32 mil	X/√	√	X	√
22 BLUE RING	22.2	8 - 15 mil	X/√	√	X	√
25 BLACK RING	25.0	13.5 - 15 mil	X/√	√	X	√
FLARE (BLUE NUT)						
12	11.8	6 - 25 mil	X	X	√	√
16	15.5 / 16.2	6 - 20 mil	X	X	√	√
22	22.2	8 - 15 mil	X	X	√	√
25	25.0	13.5 - 15 mil	X	X	√	√
35	35.0	13.5 - 15 mil	X	X	√	√
TWIST LOCK (BLUE NUT)						
16	15.5 / 16.2	6 - 25 mil	√	√	X/√	√
22	22.2	8 - 25 mil	√	√	X/√	√
25	25.0	13.5 - 25 mil	√	√	X/√	√


- √ Suitable
- X Not suitable
- X/√ Suitable but not recommended





12 MM BARB CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Max. working pressure (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
10.2	1.0	39	3.5	Aries™ 12010
10.2	1.0	39	3.5	Tiran™ 12010


DESCRIPTION	Coupling barb 12 x 12		
CATALOG NUMBERS	1 unit	32500-002200	
	50 units/bag	32500-002220	
	100 units/bag	32500-002230	


DESCRIPTION	"T" barb 12 x 12 x 12		
CATALOG NUMBERS	1 unit	32500-002500	
	50 units/bag	32500-002520	
	100 units/bag	32500-002530	


DESCRIPTION	Elbow barb 12 x 12		
CATALOG NUMBERS	1 unit	32500-003200	
	50 units/bag	32500-003220	
	100 units/bag	32500-003230	


DESCRIPTION	"8" line end 12		
CATALOG NUMBERS	1 unit	32500-003500	
	50 units/bag	32500-003520	
	100 units/bag	32500-003530	


DESCRIPTION	Straight barb 12 MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-002300	
	50 units/bag	32500-002306	
	100 units/bag		


DESCRIPTION	"Y" barb 12 x 2 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-002800	
	50 units/bag	32500-002810	
	100 units/bag		


DESCRIPTION	Elbow barb 12 MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-003300	
	50 units/bag	32500-003320	
	100 units/bag		


DESCRIPTION	"W" barb 12 x 3 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-002820	
	50 units/bag	32500-002840	
	100 units/bag		


DESCRIPTION	"T" barb 12 x 2 MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-002310	
	50 units/bag	32500-002320	
	100 units/bag	32500-002330	

DESCRIPTION	Barb 12 x 3 FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-002900	
	50 units/bag	32500-002920	
	100 units/bag		

DESCRIPTION	Straight barb 12 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-002400	
	50 units/bag	32500-002420	
	100 units/bag		

DESCRIPTION	Barb 12 x 4 FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-003000	
	50 units/bag	32500-003020	
	100 units/bag		

DESCRIPTION	Elbow barb 12 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-003400	
	50 units/bag	32500-003420	
	100 units/bag	32500-003430	


DESCRIPTION	Barb 12 x 6 FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-003100	
	50 units/bag	32500-003120	
	100 units/bag	32500-003130	





16 MM BARB CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
14.2	0.9	35	3.0	UniRam™ 16009, DripNet PC™ 16009, Aries™ 16009, Tiran™ 16009
	1.0	39	3.5	UniRam™ 16010, DripNet PC™ 16010*, Aries™ 16010, Tiran™ 16010
	1.2	47	4.0	UniRam™ 16012, DripNet PC™ 16012*, Aries™ 16012, Tiran™ 16012


* DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper, not by the wall tickness)


DESCRIPTION	Coupling barb 16 x 16		
CATALOG NUMBERS	1 unit	32500-010700	
	50 units/bag	32500-010720	
	100 units/bag	32500-010730	


DESCRIPTION	"T" barb 16 x 16 x 16		
CATALOG NUMBERS	1 unit	32500-011300	
	50 units/bag	32500-011320	
	100 units/bag	32500-011330	


DESCRIPTION	Elbow barb 16 x 16		
CATALOG NUMBERS	1 unit	32500-012500	
	50 units/bag	32500-012520	
	100 units/bag	32500-012530	


DESCRIPTION	"8" line end 16		
CATALOG NUMBERS	1 unit	32500-013000	
	50 units/bag	32500-013020	
	100 units/bag	32500-013030	


DESCRIPTION	Straight barb 16 MTH ½"		
CATALOG NUMBERS	1 unit	32500-010900	
	50 units/bag	32500-010920	
	100 units/bag		


DESCRIPTION	"Y" barb 16 x 2 MTH ¾"		
CATALOG NUMBERS	1 unit	32500-011200	
	50 units/bag	32500-011220	
	100 units/bag	32500-011230	


DESCRIPTION	Elbow barb 16 MTH ½"		
CATALOG NUMBERS	1 unit	32500-012700	
	50 units/bag	32500-012720	
	100 units/bag	32500-012730	


DESCRIPTION	"W" barb 16 x 3 MTH ¾"		
CATALOG NUMBERS	1 unit	32500-012400	
	50 units/bag	32500-012425	
	100 units/bag	32500-012430	


DESCRIPTION	"T" barb 16 x 2 MTH ½"		
CATALOG NUMBERS	1 unit	32500-011600	
	50 units/bag	32500-011620	
	100 units/bag		


DESCRIPTION	"T" barb 16 x 2 FTH ¾"		
CATALOG NUMBERS	1 unit	32500-011700	
	50 units/bag	32500-011720	
	100 units/bag		


DESCRIPTION	Straight barb 16 MTH ¾"		
CATALOG NUMBERS	1 unit	32500-011000	
	50 units/bag	32500-011020	
	100 units/bag	32500-011030	


DESCRIPTION	Barb 16 x 3 FTH ¾"		
CATALOG NUMBERS	1 unit	32500-011900	
	50 units/bag	32500-011920	
	100 units/bag		

DESCRIPTION	Elbow barb 16 MTH ¾"		
CATALOG NUMBERS	1 unit	32500-012800	
	50 units/bag	32500-012820	
	100 units/bag	32500-012830	

DESCRIPTION	Barb 16 x 4 FTH ¾"		
CATALOG NUMBERS	1 unit	32500-012100	
	50 units/bag	32500-012120	
	100 units/bag		

DESCRIPTION	"T" barb 16 x 2 MTH ¾"			
CATALOG NUMBERS	1 unit	32500-011800		
	50 units/bag	32500-011820		
	100 units/bag			


DESCRIPTION	Barb 16 x 6 FTH ¾"			
CATALOG NUMBERS	1 unit	32500-012300		
	50 units/bag	32500-012320		
	100 units/bag			


DESCRIPTION	Barb 16 Threaded loose female ¾"			
CATALOG NUMBERS	1 unit	32500-011100		
	50 units/bag			
	100 units/bag			





17 MM BARB CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Max. working pressure (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
14.6	1.2	47	4.0	UniRam™ 17012, Tiran™ 17012


DESCRIPTION	Coupling barb 17 x 17			
CATALOG NUMBERS	1 unit	32500-003800		
	50 units/bag	32500-003810		
	100 units/bag	32500-003820		


DESCRIPTION	"T" barb 17 x 17 x 17			
CATALOG NUMBERS	1 unit	32500-004900		
	50 units/bag	32500-004920		
	100 units/bag	32500-004930		


DESCRIPTION	Elbow barb 17 x 17			
CATALOG NUMBERS	1 unit	32500-005900		
	50 units/bag	32500-005920		
	100 units/bag	32500-005940		


DESCRIPTION	"8" line end 17			
CATALOG NUMBERS	1 unit	32500-013000		
	50 units/bag	32500-013020		
	100 units/bag	32500-013030		


DESCRIPTION	"Cross" barb 17 x 17 x 17 x 17			
CATALOG NUMBERS	1 unit	32500-006300		
	50 units/bag	32500-006320		
	100 units/bag	32500-006330		


DESCRIPTION	"T" barb 17 x 2 FTH ¾"			
CATALOG NUMBERS	1 unit	32500-004700		
	50 units/bag	32500-004720		
	100 units/bag	32500-004730		


DESCRIPTION	Straight barb 17 MTH ½"			
CATALOG NUMBERS	1 unit	32500-004400		
	50 units/bag	32500-004430		
	100 units/bag	32500-004440		


DESCRIPTION	Elbow barb 17 MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-006000	
	50 units/bag	32500-006020	
	100 units/bag	32500-006030	


DESCRIPTION	"T" barb 17 x 2 MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-004450	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Straight barb 17 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-004490	
	50 units/bag	32500-004492	
	100 units/bag	32500-004493	


DESCRIPTION	Elbow barb 17 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-006100	
	50 units/bag	32500-006120	
	100 units/bag	32500-006130	


DESCRIPTION	"T" barb 17 x 2 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-004800	
	50 units/bag	32500-004820	
	100 units/bag	32500-004830	


DESCRIPTION	"Y" barb 17 x 2 MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-004460	
	50 units/bag		
	100 units/bag	32500-004475	


DESCRIPTION	"Y" barb 17 x 2 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-004600	
	50 units/bag	32500-004620	
	100 units/bag	32500-004630	


DESCRIPTION	"W" barb 17 x 3 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-005200	
	50 units/bag	32500-005220	
	100 units/bag	32500-005230	


DESCRIPTION	Barb 17 x 3 FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-005100	
	50 units/bag	32500-005120	
	100 units/bag	32500-005130	


DESCRIPTION	Barb 17 x 4 FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-005300	
	50 units/bag	32500-005320	
	100 units/bag	32500-005330	


DESCRIPTION	Barb 17 x 6 FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-005400	
	50 units/bag	32500-005420	
	100 units/bag	32500-005430	

DESCRIPTION	"T" barb 17 x 2 FTH 1"		
CATALOG NUMBERS	1 unit	32500-005500	
	50 units/bag	32500-005520	
	100 units/bag	32500-005530	

DESCRIPTION	Barb 17 x 3 FTH 1"		
CATALOG NUMBERS	1 unit	32500-005600	
	50 units/bag	32500-005610	
	100 units/bag	32500-005620	

DESCRIPTION	Barb 17 x 4 FTH 1"		
CATALOG NUMBERS	1 unit	32500-005700	
	50 units/bag	32500-005710	
	100 units/bag		

DESCRIPTION	Barb 17 x 6 FTH 1"		
CATALOG NUMBERS	1 unit	32500-005800	
	50 units/bag	32500-005810	
	100 units/bag		

DESCRIPTION	"T" barb 17 x 2 FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-005050	
	50 units/bag	32500-005520	
	100 units/bag	32500-005530	





20 MM BARB CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Max. working pressure (bar)	To fit Netafim™ dripperlines
17.5	1.0	39	3.5
	1.2	47	4.0


UniRam™ 20010, DripNet PC™ 20010*, Aries™ 20010, Tiran™ 20010
 UniRam™ 20012, DripNet PC™ 20012*, Aries™ 20012, Tiran™ 20012


* DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper, not by the wall thickness)


DESCRIPTION	Coupling barb 20 x 20		
CATALOG NUMBERS	1 unit	32500-007600	
	50 units/bag	32500-007620	
	100 units/bag	32500-007630	


DESCRIPTION	Elbow barb 20 x 20		
CATALOG NUMBERS	1 unit	32500-010000	
	50 units/bag	32500-010020	
	100 units/bag	32500-010030	


DESCRIPTION	Straight barb 20 MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-008000	
	50 units/bag	32500-008020	
	100 units/bag	32500-008030	


DESCRIPTION	Elbow barb 20 MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-014500	
	50 units/bag	32500-014515	
	100 units/bag		


DESCRIPTION	"T" barb 20 x 2 MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-014550	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Straight barb 20 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-008100	
	50 units/bag	32500-008120	
	100 units/bag	32500-008130	


DESCRIPTION	Elbow barb 20 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-010100	
	50 units/bag	32500-010110	
	100 units/bag		


DESCRIPTION	"T" barb 20 x 2 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-008800	
	50 units/bag	32500-008820	
	100 units/bag	32500-008830	


DESCRIPTION	"T" barb 20 x 20 x 20		
CATALOG NUMBERS	1 unit	32500-008400	
	50 units/bag	32500-008420	
	100 units/bag	32500-008430	


DESCRIPTION	"8" line end 20		
CATALOG NUMBERS	1 unit	32500-014400	
	50 units/bag	32500-014420	
	100 units/bag	32500-014430	


DESCRIPTION	"Y" barb 20 x 2 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-008300	
	50 units/bag	32500-008320	
	100 units/bag	32500-008330	


DESCRIPTION	"W" barb 20 x 3 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-009000	
	50 units/bag	32500-009020	
	100 units/bag	32500-009030	


DESCRIPTION	"T" barb 20 x 2 FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-008900	
	50 units/bag	32500-008920	
	100 units/bag	32500-008930	


DESCRIPTION	Barb 20 x 3 FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-009100	
	50 units/bag	32500-009120	
	100 units/bag	32500-009130	


DESCRIPTION	Barb 20 x 4 FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-009200	
	50 units/bag	32500-009220	
	100 units/bag	32500-009230	


DESCRIPTION	Barb 20 x 6 FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-009300	
	50 units/bag	32500-009320	
	100 units/bag	32500-009330	

DESCRIPTION	"T" barb 20 x 2 FTH 1"		
CATALOG NUMBERS	1 unit	32500-009400	
	50 units/bag	32500-009420	
	100 units/bag	32500-009430	


DESCRIPTION	Barb 20 x 3 FTH 1"		
CATALOG NUMBERS	1 unit	32500-009500	
	50 units/bag	32500-009520	
	100 units/bag	32500-009530	


DESCRIPTION	Barb 20 Threaded loose female 3/4"		
CATALOG NUMBERS	1 unit	32500-008270	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Barb 20 x 4 FTH 1"		
CATALOG NUMBERS	1 unit	32500-009600	
	50 units/bag	32500-009620	
	100 units/bag	32500-009630	


DESCRIPTION	Barb 20 x 6 FTH 1"		
CATALOG NUMBERS	1 unit	32500-009800	
	50 units/bag	32500-009820	
	100 units/bag	32500-009830	


12, 16, 17, 20 MM REDUCING CONNECTOR


DESCRIPTION	Reducing coupling Barb 12 Barb 16		
CATALOG NUMBERS	1 unit	32500-010800	
	50 units/bag	32500-010820	
	100 units/bag	32500-010830	


DESCRIPTION	Reducing coupling Barb 17 Barb 20		
CATALOG NUMBERS	1 unit	32500-004300	
	50 units/bag	32500-004315	
	100 units/bag	32500-004330	


DESCRIPTION	Reducing coupling Barb 12 Barb 17		
CATALOG NUMBERS	1 unit	32500-004100	
	50 units/bag	32500-004120	
	100 units/bag		


DESCRIPTION	Reducing "T" Barb 12 x 2 Barb 16		
CATALOG NUMBERS	1 unit	32500-002600	
	50 units/bag	32500-002620	
	100 units/bag	32500-002630	


DESCRIPTION	Reducing coupling Barb 12 Barb 20		
CATALOG NUMBERS	1 unit	32500-007800	
	50 units/bag	32500-007830	
	100 units/bag		


DESCRIPTION	Reducing "T" Barb 16 x 2 Barb 12		
CATALOG NUMBERS	1 unit	32500-011400	
	50 units/bag	32500-011420	
	100 units/bag		


DESCRIPTION	Reducing coupling Barb 16 Barb 17		
CATALOG NUMBERS	1 unit	32500-004250	
	50 units/bag	32500-004260	
	100 units/bag	32500-004270	


DESCRIPTION	Reducing "T" Barb 16 x 2 Barb 20		
CATALOG NUMBERS	1 unit	32500-011500	
	50 units/bag	32500-011520	
	100 units/bag		

DESCRIPTION	Reducing coupling Barb 16 Barb 20		
CATALOG NUMBERS	1 unit	32500-007900	
	50 units/bag	32500-007920	
	100 units/bag	32500-007930	

DESCRIPTION	Reducing "T" Barb 17 x 2 Barb 16		
CATALOG NUMBERS	1 unit	32500-005000	
	50 units/bag	32500-005020	
	100 units/bag		

DESCRIPTION	Reducing "T" Barb 20 x 2 Barb 12		
CATALOG NUMBERS	1 unit	32500-008500	
	50 units/bag		
	100 units/bag		

DESCRIPTION	"T" barb /ring connector (body & 2 flat rings) Flat ring 16 x 2 Barb 17		
CATALOG NUMBERS	1 unit	32500-018900	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Reducing "T" Barb 20 x 2 Barb 16		
CATALOG NUMBERS	1 unit	32500-008600	
	50 units/bag	32500-008610	
	100 units/bag	32500-008620	


12, 16, 17, 20 MM INSERT START CONNECTORS FOR PVC PIPES





Recommended hole for barb start connectors:


- 1) 16 mm in PVC pipe up to 4 mm wall thickness
- 2) 16.5 mm in PVC pipe with more than 4 mm wall thickness


The 'P' model is for flow rate of up to 800 l/h


DESCRIPTION	Start connector for PVC Barb 12 w/seal, model P		
CATALOG NUMBERS	1 unit	32500-003706	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Start connector for PVC Barb 16 w/seal, model P		
CATALOG NUMBERS	1 unit	32500-013770	
	50 units/bag	32500-013785	
	100 units/bag		


DESCRIPTION	Start connector for PVC Barb 17 w/seal, model P		
CATALOG NUMBERS	1 unit	32500-006620	
	50 units/bag	32500-006630	
	100 units/bag		


DESCRIPTION	Start connector for PVC Barb 20 w/seal, model P		
CATALOG NUMBERS	1 unit	32500-010470	
	50 units/bag	32500-010485	
	100 units/bag		


DESCRIPTION	Seal for start barb connector Model P		
CATALOG NUMBERS	1 unit	32500-010450	
	50 units/bag	32500-010455	
	100 units/bag	32500-010460	


DESCRIPTION	Start elbow connector for PVC, barb 16 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-010615	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Start elbow connector for PVC, barb 17 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-006800	
	50 units/bag		
	100 units/bag	32500-006820	


DESCRIPTION	Start connector for PVC Barb 12 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-024000	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Start connector for PVC Barb 16 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-013700	
	50 units/bag	32500-013720	
	100 units/bag	32500-013730	

DESCRIPTION	Start connector for PVC Barb 17 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-006700	
	50 units/bag	32500-006720	
	100 units/bag	32500-006730	

DESCRIPTION	Start connector for PVC Barb 20 w/seal, model T		
CATALOG NUMBERS	1 unit	32500-010300	
	50 units/bag	32500-010330	
	100 units/bag	32500-010340	

DESCRIPTION	Seal for start connector, model T		
CATALOG NUMBERS	1 unit	32000-007000	
	50 units/bag	32000-007015	
	100 units/bag		


DESCRIPTION	16.0 mm & 16.5 mm Drill bit for PVC pipe		
CATALOG NUMBERS	1 unit 16.0 mm	45000-002755	
	1 unit 16.5 mm	45000-002756	


Photos show assembly with seal. Connectors are delivered with seals not assembled.





12, 16, 17, 20 MM START CONNECTORS FOR PE PIPES 20-75 MM


Recommended hole for barb start connectors: 8 mm

DESCRIPTION	Start connector for PE, barb 12		
CATALOG NUMBERS	1 unit	32500-003705	
	50 units/bag	32500-003702	
	100 units/bag		

DESCRIPTION	Start connector for PE, barb 20		
CATALOG NUMBERS	1 unit	32500-010350	
	50 units/bag	32500-010370	
	100 units/bag	32500-010380	

DESCRIPTION	Start connector for PE, barb 16		
CATALOG NUMBERS	1 unit	32500-013750	
	50 units/bag	32500-013760	
	100 units/bag	32500-013765	


DESCRIPTION	Start connector for PE, ring 16 (for TWD & MWD)		
CATALOG NUMBERS	1 unit	32500-017770	
	50 units/bag	32500-017785	
	100 units/bag		


DESCRIPTION	Start connector for PE, barb 17		
CATALOG NUMBERS	1 unit	32500-006600	
	50 units/bag	32500-006605	
	100 units/bag	32500-006610	





12, 16, 17, 20 MM BAND START CONNECTORS FOR PE PIPES 32-50 MM


Recommended hole for 12, 16, 17 mm band start connectors: 16 mm, for 20 mm: 11 mm


DESCRIPTION	Barb 12 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit	32500-003600	
	50 units/bag	32500-003620	
	100 units/bag	32500-003630	


DESCRIPTION	Barb 17 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit	32500-006550	
	50 units/bag	32500-006570	
	100 units/bag		


DESCRIPTION	Barb 16 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit	32500-013300	
	50 units/bag	32500-013320	
	100 units/bag	32500-013330	


DESCRIPTION	Barb 20 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit	32500-010200	
	50 units/bag	32500-010220	
	100 units/bag		

DESCRIPTION	Fast 16 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit	32500-017800	
	50 units/bag	32500-017820	
	100 units/bag	32500-017830	

DESCRIPTION	Plug on saddle to assemble a bundled plug		
CATALOG NUMBERS	1 unit	32500-013400	
	50 units/bag	32500-013420	
	100 units/bag		

DESCRIPTION	Seal to assemble a bundled start connector – 12, 16 & 17		
CATALOG NUMBERS	1 unit	32500-013900	
	50 units/bag	32500-013920	
	100 units/bag	32500-013930	


DESCRIPTION	Band to assemble a bundled start connector – 12 & 16		
CATALOG NUMBERS	1 unit	32500-014000	
	50 units/bag	32500-014020	
	100 units/bag	32500-014030	


DESCRIPTION	Band to assemble a bundled start connector – 17 & 20		
CATALOG NUMBERS	1 unit	32500-010500	
	50 units/bag	32500-010520	
	100 units/bag		




START SCREW CONNECTORS FOR PE 50-75 MM

Recommended hole for screw nut start connectors: 12 mm

DESCRIPTION	Start screw nut connector for PE, barb 17		
CATALOG NUMBERS	1 unit	32500-007100	
	50 units/bag	32500-007120	
	100 units/bag	32500-007130	

DESCRIPTION	Start screw nut connector for PE, fast with Blue ring (for TWD & MWD)		
CATALOG NUMBERS	1 unit	32500-018550	
	50 units/bag		
	100 units/bag	32500-018560	


DESCRIPTION	Start screw nut connector for PE, fast body w/o ring		
CATALOG NUMBERS	1 unit	32500-018500	
	50 units/bag	32500-018510	
	100 units/bag	32500-018520	





8 MM BARB CONNECTORS FOR 6.4 MM ID DRIPPERLINES (BROWN)


Recommended hole: 3 mm


Pipe inside Ø (mm)	Wall thickness (mm)	Max. working pressure (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
6.3	0.8	32	4.0	Microdrip 8

DESCRIPTION	Coupling barb 8 x 8 (Brown)		
CATALOG NUMBERS	1 unit	32500-002000	
	50 units/bag	32500-002020	
	100 units/bag	32500-002030	

DESCRIPTION	"T" barb 8 x 8 x 8 (Brown)		
CATALOG NUMBERS	1 unit	32500-002100	
	50 units/bag	32500-002115	
	100 units/bag	32500-002120	

DESCRIPTION	Elbow barb 8 x 8 (Brown)		
CATALOG NUMBERS	1 unit	32500-001900	
	50 units/bag	32500-001915	
	100 units/bag	32500-001920	

DESCRIPTION	Press - fit 8 - barb/female (Brown)		
CATALOG NUMBERS	1 unit	32500-040100	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Press - fit 8 - barb/male (Brown)		
CATALOG NUMBERS	1 unit	32500-040000	
	50 units/bag		
	100 units/bag		



5 MM BARB CONNECTORS FOR 3.0 MM ID MICRO TUBES

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
3.2	0.8	32	2.5	3 x 5 blank micro-tube


DESCRIPTION	"T" barb 5 x 5 x 5
CATALOG NUMBERS	1 unit 32500-001500 50 units/bag 32500-001520 100 units/bag 32500-001530 1000 units/bag 32500-001540



DESCRIPTION	"T" 5 barb TH 5 X 2
CATALOG NUMBERS	1 unit 32500-001300 50 units/bag 32500-001320 100 units/bag 32500-001330 1000 units/bag 32500-001340



DESCRIPTION	"T" barb 5 x 5 x 5 (Brown)
CATALOG NUMBERS	1 unit 32500-001600 50 units/bag 32500-001620 100 units/bag



DESCRIPTION	"T" 5 barb TH 5 X 2 (Brown)
CATALOG NUMBERS	1 unit 32500-001400 50 units/bag 100 units/bag



DESCRIPTION	Barb/TH start connector 5 mm
CATALOG NUMBERS	1 unit 32500-001100 50 units/bag 32500-001110 100 units/bag 1000 units/bag 32500-001140




DESCRIPTION	"T" TH 5 x 5 x 5
CATALOG NUMBERS	1 unit 32500-001700 50 units/bag 32500-001720 100 units/bag 32500-001730 1000 units/bag 32500-001740



DESCRIPTION	"T" TH 5 x 5 x 5 (Brown)
CATALOG NUMBERS	1 unit 32500-001800 50 units/bag 32500-001820 100 units/bag 32500-001830



DESCRIPTION	Barb connector to a 3 x 5 micro-tube or a press-fit connection (Brown)
CATALOG NUMBERS	To connect a PE pipe to a micro-tube 3 x 5 or to a manifold 1 unit 32000-001850 50 units/bag 32000-001860 100 units/bag 32000-001870




DESCRIPTION	Barb connector to a 3 x 5 micro-tube or a press-fit connection
CATALOG NUMBERS	To connect a PE pipe to a micro-tube 3 x 5 or to a manifold 1 unit 32000-001900 50 units/bag 32000-001920 100 units/bag 32000-001930








BARB CONNECTORS 12, 16, 17, 18, 20 MM FOR MINING (PURPLE)


Maximum working pressure 3 bar.


DESCRIPTION	Coupling barb 12 x 12		
CATALOG NUMBERS	1 unit	32500-002250	
	50 units/bag		
	100 units/bag	32500-002270	


DESCRIPTION	Coupling barb 16 x 16		
CATALOG NUMBERS	1 unit	32500-010680	
	50 units/bag	32500-010685	
	100 units/bag	32500-010690	


DESCRIPTION	Coupling barb 17 x 17		
CATALOG NUMBERS	1 unit	32500-003900	
	50 units/bag	32500-003915	
	100 units/bag	32500-003930	


DESCRIPTION	Coupling barb 18 x 18		
CATALOG NUMBERS	1 unit	32500-014217	
	50 units/bag		
	100 units/bag	32500-014227	


DESCRIPTION	Coupling barb 20 x 20		
CATALOG NUMBERS	1 unit	32500-007700	
	50 units/bag	32500-007721	
	100 units/bag	32500-007730	


DESCRIPTION	Elbow barb 12 x 12		
CATALOG NUMBERS	1 unit	32500-003250	
	50 units/bag	32500-003260	
	100 units/bag		

DESCRIPTION	Elbow barb 16 x 16		
CATALOG NUMBERS	1 unit	32500-012480	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Elbow barb 17 x 17		
CATALOG NUMBERS	1 unit	32500-005970	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Elbow barb 18 x 18		
CATALOG NUMBERS	1 unit	32500-014261	
	50 units/bag		
	100 units/bag		


DESCRIPTION	"T" barb 12 x 12 x 12		
CATALOG NUMBERS	1 unit	32500-002533	
	50 units/bag		
	100 units/bag		


DESCRIPTION	"T" barb 16 x 16 x 16		
CATALOG NUMBERS	1 unit	32500-011340	
	50 units/bag		
	100 units/bag		





BARB CONNECTORS 12, 16, 17, 18, 20 MM FOR MINING (PURPLE)


Maximum working pressure 3 bar.


DESCRIPTION	Straight barb 12 MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-002360	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Straight barb 16 MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-010935	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Straight barb 16 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-011050	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Straight barb 17 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-004520	
	50 units/bag	32500-004530	
	100 units/bag		


DESCRIPTION	Straight barb 18 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-014150	
	50 units/bag	32500-014170	
	100 units/bag		


DESCRIPTION	Straight barb 20 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-008250	
	50 units/bag		
	100 units/bag		


DESCRIPTION	"Y" barb 12 x 2 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-002750	
	50 units/bag		
	100 units/bag		


DESCRIPTION	"Y" barb 16 x 2 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-011240	
	50 units/bag		
	100 units/bag		


DESCRIPTION	"Y" barb 17 x 2 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-004650	
	50 units/bag		
	100 units/bag		

DESCRIPTION	"Y" barb 18 x 2 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-014251	
	50 units/bag		
	100 units/bag		

DESCRIPTION	"Y" barb 20 x 2 MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-008350	
	50 units/bag		
	100 units/bag		

Description	Start connector for PVC Barb 16 w/o seal, model P		
Catalog numbers	1 unit	32500-014120	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Reducing coupling barb 12 Barb 16		
CATALOG NUMBERS	1 unit	32500-010870	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Reducing coupling barb 16 Barb 20		
CATALOG NUMBERS	1 unit	32500-007790	
	50 units/bag		
	100 units/bag		





12 MM FAST RING CONNECTORS


Pipe inside Ø (mm)	Wall thickness		Max. working pressure (bar)	To fit Netafim™ dripperlines
	(mm)	(mil)		
11.8	0.15	6.0	1.4	Streamline™ 12060
	0.20	8.0	1.7	Streamline™ 12080
	0.31	12.5	2.5	Super Typhoon™ 12125 , DripNet PC™ 12125
	0.38	15.0	3.0	Super Typhoon™ 12150 , DripNet PC™ 12150
	0.50	20.0	3.0	Super Typhoon™ 12200 , DripNet PC™ 12200
	0.63	25.0	3.5	Super Typhoon™ 12250 , DripNet PC™ 12250*


* DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper, not by the wall thickness)


DESCRIPTION	Fast coupling 12 w/blue rings		
CATALOG NUMBERS	1 unit 10 units/bag	32500-002471 32500-002473	

DESCRIPTION	Fast 12 w/blue ring MTH ½"		
CATALOG NUMBERS	1 unit 10 units/bag	32500-002390 32500-002395	

DESCRIPTION	Fast 12 line end w/blue ring		
CATALOG NUMBERS	1 unit 10 units/bag	32500-003560 32500-003565	


DESCRIPTION	Fast 12 w/blue ring PE start connector		
CATALOG NUMBERS	1 unit 10 units/bag	32500-003660 32500-003662	


DESCRIPTION	Fast 12 elbow w/blue ring MTH ½"		
CATALOG NUMBERS	1 unit 10 units/bag	32500-003350 32500-003360	


DESCRIPTION	Fast 12 "T" w/blue ring MTH ½"		
CATALOG NUMBERS	1 unit 10 units/bag	32500-002560 32500-002565	


16 MM FAST RING CONNECTORS


Pipe inside Ø (mm)	Wall thickness		Max. working pressure (bar)	To fit Netafim™ dripperlines
	(mm)	(mil)		
16.2	0.125	6.0	0.60	Streamline™ 16050
	0.15	6.0	0.65	Streamline™ 16060,
	0.20	8.0	0.85	Streamline™ 16080, Super Typhoon™ 16080
	0.25	10.0	1.00	Streamline™ 16100, Super Typhoon™ 16100
	0.31	12.5	1.40	Streamline™ 16125, Super Typhoon™ 16125, DripNet PC™ 16125
	0.38	15.0	1.80	Streamline™ 16150, Super Typhoon™ 16150, DripNet PC™ 16150
15.5	0.50	20.0	2.0	DripNet PC™ 16200, Aries™ 16200
	0.60	25.0	2.8	DripNet PC™ 16250, Aries™ 16250


DESCRIPTION	Fast coupling 16 w/blue rings		
CATALOG NUMBERS	1 unit	32500-016740	
	50 units/bag	32500-016760	
	100 units/bag	32500-016770	


DESCRIPTION	Fast 16 x 3 w/blue rings FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-015500	
	50 units/bag	32500-015530	
	100 units/bag	32500-015530	


DESCRIPTION	Fast 16 x 2 w/blue rings FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-016520	
	50 units/bag	32500-016525	
	100 units/bag	32500-016530	


DESCRIPTION	Fast 16 x 4 w/blue rings FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-015700	
	50 units/bag	32500-015730	
	100 units/bag	32500-015730	


DESCRIPTION	Fast 16 w/blue ring Barb 16		
CATALOG NUMBERS	1 unit	32500-017040	
	50 units/bag	32500-017060	
	100 units/bag	32500-017070	


DESCRIPTION	Fast 16 x 6 w/blue rings FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-016550	
	50 units/bag	32500-016570	
	100 units/bag	32500-016570	


DESCRIPTION	Fast 16 w/blue ring Barb 17		
CATALOG NUMBERS	1 unit	32500-006200	
	50 units/bag	32500-006220	
	100 units/bag		

DESCRIPTION	Fast 16 w/blue ring MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-015100	
	50 units/bag	32500-015130	
	100 units/bag		

DESCRIPTION	Fast 16 line end w/blue ring		
CATALOG NUMBERS	1 unit	32500-016460	
	50 units/bag	32500-016480	
	100 units/bag	32500-016490	


DESCRIPTION	Fast 16 w/blue ring MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-015250	
	50 units/bag	32500-015270	
	100 units/bag	32500-015280	


DESCRIPTION	Blue ring 16		
CATALOG NUMBERS	1 unit	32500-017400	
	50 units/bag	32500-017420	
	100 units/bag	32500-017430	


DESCRIPTION	Start for PE, on saddle, complete (band + body + seal + blue ring)		
CATALOG NUMBERS	1 unit	32500-018000	
	50 units/bag	32500-018003	
	100 units/bag	32500-018005	


16 MM FAST RING CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
15.5	0.7	27	2.9	Aries™ 16007
	0.8	32	3.0	Aries™ 16008


DESCRIPTION	Fast coupling 16 w/o rings		
CATALOG NUMBERS	1 unit	32500-016720	
	50 units/bag	32500-016730	
	100 units/bag		


DESCRIPTION	Fast 16 line end w/o ring		
CATALOG NUMBERS	1 unit	32500-016450	
	50 units/bag		
	100 units/bag	32500-016455	


DESCRIPTION	Fast 16 x 2 w/o rings FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-015300	
	50 units/bag	32500-015320	
	100 units/bag	32500-015330	


DESCRIPTION	Fast 16 w/o ring MTH 1/2"		
CATALOG NUMBERS	1 unit	32500-015000	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Fast 16 x 3 w/o rings FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-015400	
	50 units/bag	32500-015420	
	100 units/bag	32500-015430	


DESCRIPTION	Fast 16 w/o ring MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-015200	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Fast 16 x 4 w/blue rings FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-015600	
	50 units/bag		
	100 units/bag		

DESCRIPTION	White ring 16 For MWD		
CATALOG NUMBERS	1 unit	32500-017600	
	50 units/bag	32500-017620	
	100 units/bag	32500-017630	

DESCRIPTION	Fast 16 x 6 w/o rings FTH 3/4"		
CATALOG NUMBERS	1 unit	32500-015800	
	50 units/bag		
	100 units/bag	32500-015830	


DESCRIPTION	Fast 16 w/o rings Barb 16		
CATALOG NUMBERS	1 unit	32500-017020	
	50 units/bag	32500-017030	
	100 units/bag		


DESCRIPTION	Black flat ring for HWD		
CATALOG NUMBERS	1 unit	32000-006950	
	50 units/bag	32000-006975	
	100 units/bag	32000-006980	


Note: suitable for dripperlines with WT of 0.9, 1.0 & 1.2 mm


22 MM FAST RING CONNECTORS


Pipe inside Ø (mm)	Wall thickness		Max. working pressure (bar)	To fit Netafim™ dripperlines
	(mm)	(mil)		
22.2	0.20	8.0	0.7	Streamline 22080, Python™ 22080
	0.25	10.0	0.9	Streamline 22100, Python™ 22100
	0.34	13.5	1.2	Python™ 22135, DripNet PC™ 22135
	0.38	15.0	1.3	Python™ 22150, DripNet PC™ 22150


DESCRIPTION	Fast coupling 22 w/blue rings		
CATALOG NUMBERS	1 unit	32500-021300	
	50 units/bag		
	100 units/bag	32500-021320	


DESCRIPTION	Fast coupling 22 w/o rings		
CATALOG NUMBERS	1 unit	32500-020800	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Fast 22 w/blue ring Barb 20		
CATALOG NUMBERS	1 unit	32500-021200	
	50 units/bag	32500-021220	
	100 units/bag	32500-021230	

DESCRIPTION	Fast 22 w/o ring Barb 20		
CATALOG NUMBERS	1 unit	32500-021100	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Fast 22 w/blue ring MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-021000	
	50 units/bag		
	100 units/bag	32500-021020	


DESCRIPTION	Fast 22 w/o ring MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-020900	
	50 units/bag		
	100 units/bag		


DESCRIPTION	Blue ring 22		
CATALOG NUMBERS	1 unit	32500-022200	
	50 units/bag		
	100 units/bag		





25 MM FAST RING CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
25.0	0.34 0.38	13.5 15.0	1.1 1.0	Ozline™ 25135, DripNet PC™ 25135 Ozline™ 25150, DripNet PC™ 25150


DESCRIPTION	Fast coupling 25 w/black rings		
CATALOG NUMBERS	1 unit	32500-019600	
	50 units/bag	32500-019630	
	100 units/bag	32500-019650	


DESCRIPTION	Fast coupling 25 w/o rings		
CATALOG NUMBERS	1 unit	32500-019500	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Fast 25 w/black ring Barb 20		
CATALOG NUMBERS	1 unit	32500-020000	
	50 units/bag		
	100 units/bag	32500-020050	

DESCRIPTION	Fast 25 w/o ring Barb 20		
CATALOG NUMBERS	1 unit	32500-019900	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Fast 25 w/black ring MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-019800	
	50 units/bag	32500-019840	
	100 units/bag	32500-019850	

DESCRIPTION	Fast 25 w/o ring MTH 3/4"		
CATALOG NUMBERS	1 unit	32500-019700	
	50 units/bag		
	100 units/bag		

DESCRIPTION	Black ring 25		
CATALOG NUMBERS	1 unit	32500-020100	
	50 units/bag		
	100 units/bag	32500-020130	



12 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
11.8	0.15	6.0	1.4	Streamline™ 12060
	0.20	8.0	1.7	Streamline™ 12080
	0.31	12.5	2.5	Super Typhoon™ 12125 , DripNet PC™ 12125
	0.38	15.0	3.0	Super Typhoon™ 12150 , DripNet PC™ 12150
	0.50	20.0	3.0	Super Typhoon™ 12200 , DripNet PC™ 12200
	0.63	25.0	3.5	Super Typhoon™ 12250 , DripNet PC™ 12250*

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Flare coupling 12		
CATALOG NUMBERS	10 units/bag	32500-027010	
	100 units/bag	32500-027030	
	1500 units/box	32500-027040	

DESCRIPTION	Flare line end 12		
CATALOG NUMBERS	10 units/bag	32500-027310	
	100 units/bag	32500-027330	
	2500 units/box	32500-027340	

DESCRIPTION	Flare 12 MTH ½"		
CATALOG NUMBERS	10 units/bag	32500-027210	
	100 units/bag	32500-027230	

DESCRIPTION	Flare 12 Barb 12		
CATALOG NUMBERS	10 units/bag	32500-027110	
	100 units/bag	32500-027130	
	2000 units/box	32500-027140	

Each bag include 2 tightening wrenches



16 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
16.2	0.15	6.0	0.8	Streamline™ 16060
	0.20	8.0	1.0	Streamline™ 16080 , Super Typhoon™ 16080
	0.25	10.0	1.2	Streamline™ 16100 , Super Typhoon™ 16100
	0.31	12.5	1.8	Streamline™ 16125 , Super Typhoon™ 16125 , DripNet PC™ 16125
	0.38	15.0	2.2	Streamline™ 16150 , Super Typhoon™ 16150 , DripNet PC™ 16150
15.5	0.50	20.0	2.0	DripNet PC™ 16200, Aries™ 16200

DESCRIPTION	Flare coupling 16		
CATALOG NUMBERS	10 units/bag	32500-025005	
	100 units/bag	32500-025020	

DESCRIPTION	Flare line end 16		
CATALOG NUMBERS	10 units/bag	32500-025265	
	100 units/bag	32500-025270	

DESCRIPTION	Flare 16 MTH ½"		
CATALOG NUMBERS	10 units/bag	32500-027670	
	100 units/bag	32500-027700	

DESCRIPTION	Flare 16 Barb 16		
CATALOG NUMBERS	10 units/bag	32500-025230	
	100 units/bag	32500-025250	

DESCRIPTION	Flare elbow 16 MTH ½"		
CATALOG NUMBERS	100 units/bag	32500-030900	

DESCRIPTION	Flare "T" 16 x 2 MTH ½"		
CATALOG NUMBERS	100 units/bag	32500-033000	

Each bag include 2 tightening wrenches



22 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
22.2	0.20	8.0	0.8	Python™ 22080, Streamline™ 22080
	0.25	10.0	1.0	Python™ 22100, Streamline™ 22010
	0.34	13.5	1.5	Python™ 22135, DripNet PC™ 22135
	0.38	15.0	1.8	Python™ 22150, DripNet PC™ 22150

DESCRIPTION	Flare coupling 22
CATALOG NUMBERS	10 units/bag 32500-028010 100 units/bag 32500-028030



DESCRIPTION	Flare line end 22
CATALOG NUMBERS	10 units/bag 32500-028260 100 units/bag 32500-028280



DESCRIPTION	Flare 22 MTH ¾"
CATALOG NUMBERS	10 units/bag 32500-028210 100 units/bag 32500-028230



DESCRIPTION	Flare 22 Barb 20
CATALOG NUMBERS	10 units/bag 32500-028110 100 units/bag 32500-028130



DESCRIPTION	"T" Flare 22 x 2 MTH ½"
CATALOG NUMBERS	100 units/bag 32500-033500



DESCRIPTION	Elbow Flare 22 MTH ½"
CATALOG NUMBERS	100 units/bag 32500-031500



Each bag include 2 tightening wrenches



25 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
25.0	0.34	13.5	1.2	Ozline™ 25135 , DripNet PC™ 25135
	0.38	15.0	1.4	Ozline™ 25150 , DripNet PC™ 25150

DESCRIPTION	Flare coupling 25
CATALOG NUMBERS	10 units/bag 32500-028980 50 units/bag 32500-029000



DESCRIPTION	Flare line end 25
CATALOG NUMBERS	10 units/bag 32500-029380 50 units/bag 32500-029400



DESCRIPTION	Flare 25 MTH ¾"
CATALOG NUMBERS	10 units/bag 32500-029180 50 units/bag 32500-029200





Each bag include 2 tightening wrenches




35 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
35.0	0.34	13.5	0.70	Hydra™ 35135
	0.38	15.0	0.80	Hydra™ 35150

DESCRIPTION	Flare coupling 35		
CATALOG NUMBERS	10 units/bag	32500-029990	
	20 units/bag	32500-030000	

DESCRIPTION	Flare line end 35		
CATALOG NUMBERS	10 units/bag	32500-030390	
	20 units/bag	32500-030400	

DESCRIPTION	Flare 35 MTH ¾"		
CATALOG NUMBERS	10 units/bag	32500-030190	
	20 units/bag	32500-030200	


Each bag include 2 tightening wrenches





16-17 MM FLARE CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
14.2-14.6	0.9	35	3.0	UniRam™ 16009, DripNet PC™ 16009, Aries™ 16009, Tiran™ 16009
	1.0	39	3.5	UniRam™ 16010, DripNet PC™ 16010*, Aries™ 16010, Tiran™ 16010

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Flare coupling 16/17		
CATALOG NUMBERS	10 units/bag	32500-025480	
	100 units/bag	32500-025500	

DESCRIPTION	Flare 16/17 Barb 16		
CATALOG NUMBERS	10 units/bag	32500-025525	
	100 units/bag	32500-025530	

DESCRIPTION	Flare 16/17 MTH ½"		
CATALOG NUMBERS	10 units/bag	32500-025700	
	100 units/bag	32500-025720	

DESCRIPTION	Flare 16/17 MTH ¾"		
CATALOG NUMBERS	10 units/bag	32500-025900	
	100 units/bag	32500-025920	

Each bag include 2 tightening wrenches



20 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	Max. working pressure (bar)	To fit Netafim™ dripperlines
17.5	1.0	3.5	UniRam™ 20010 , DripNet PC™ 20010*, Aries™ 20010, Tiran™ 20010

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Flare coupling 20
CATALOG NUMBERS	10 units/bag 32500-027830 100 units/bag 32500-027850



DESCRIPTION	Flare 20 MTH ¾"
CATALOG NUMBERS	10 units/bag 32500-027950 100 units/bag 32500-027970



Each bag include 2 tightening wrenches

DESCRIPTION	Flare 20 Barb 20
CATALOG NUMBERS	10 units/bag 32500-027865 100 units/bag 32500-027870



23 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	Max. working pressure (bar)	To fit Netafim™ dripperlines
20.8	0.90 1.00	35.0 39.0	DripNet PC™ 23350 UniRam™ 23010

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Flare coupling 23
CATALOG NUMBERS	10 units/bag 32500-028035 100 units/bag 32500-028040



DESCRIPTION	End line Flare 23
CATALOG NUMBERS	10 units/bag 32500-029800 100 units/bag 32500-029820



DESCRIPTION	Flare 23 MTH ¾"
CATALOG NUMBERS	10 units/bag 32500-029700 100 units/bag 32500-029720



DESCRIPTION	Flare 23 Barb 25
CATALOG NUMBERS	10 units/bag 32500-029740 100 units/bag 32500-029760



Each bag include 2 tightening wrenches



FLARE REDUCING CONNECTORS

DESCRIPTION	Flare 12 x Flare 16
CATALOG NUMBERS	10 units/bag 32500-026070 100 units/bag 32500-026100



DESCRIPTION	Flare 12 x Flare 16/17
CATALOG NUMBERS	10 units/bag 32500-026220 100 units/bag 32500-026250 800 units/box 32500-026270




DESCRIPTION	Flare 16 x Flare 22
CATALOG NUMBERS	10 units/bag 32500-026320 100 units/bag 32500-026350





Each bag include 2 tightening wrenches


16 TWIST LOCK (TL) CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
16.2	0.15	6.0	0.8	Streamline™ 16060
	0.20	8.0	1.0	Streamline™ 16080 , Super Typhoon™ 16080
	0.25	10.0	1.2	Streamline™ 16100 , Super Typhoon™ 16100
	0.31	12.5	1.8	Streamline™ 16125 , Super Typhoon™ 16125 , DripNet PC™ 16125
	0.38	15.0	2.2	Streamline™ 16150 , Super Typhoon™ 16150 , DripNet PC™ 16150
15.5	0.50	20.0	2.0	DripNet PC™ 16200, Aries™ 16200
	0.60	25.0	2.8	DripNet PC™ 16250, Aries™ 16250


DESCRIPTION	TL coupling 16		
CATALOG NUMBERS	1 units	32500-016010	

DESCRIPTION	TL 16 MTH ¾"		
CATALOG NUMBERS	1 units	32500-016030	

DESCRIPTION	TL 16 MTH ½"		
CATALOG NUMBERS	1 units	32500-016020	


DESCRIPTION	TL 16 Barb 16/17		
CATALOG NUMBERS	1 units	32500-016090	


DESCRIPTION	TL elbow 16 MTH ½"		
CATALOG NUMBERS	1 units	32500-011380	


DESCRIPTION	TL "T" 16 x 2 MTH ½"		
CATALOG NUMBERS	1 units	32500-011370	


22 TWIST LOCK (TL) CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
22.2	0.20	8.0	0.85	Streamline™ 22080, Python™ 22080
	0.25	10.0	1.00	Streamline™ 22010, Python™ 22100
	0.34	13.5	1.40	Python™ 22135, DripNet PC™ 22135
	0.38	15.0	1.30	Python™ 22150, DripNet PC™ 22150
	0.63	25.0	2.50	DripNet PC™ 22150

DESCRIPTION	TL coupling 22		
CATALOG NUMBERS	1 units	32500-018180	

DESCRIPTION	TL 22 MTH ¾"		
CATALOG NUMBERS	1 units	32500-018185	


DESCRIPTION	TL elbow 22 MTH ½"		
CATALOG NUMBERS	1 units	32500-014770	


DESCRIPTION	TL 22 Barb 20		
CATALOG NUMBERS	1 units	32500-018210	


DESCRIPTION	TL "T" 22 x 2 MTH ½"		
CATALOG NUMBERS	1 units	32500-014750	

25 TWIST LOCK (TL) CONNECTORS


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
25.0	0.34	13.5	1.10	Ozline™ 25135 , DripNet PC™ 25135
	0.38	15.0	1.00	Ozline™ 25150 , DripNet PC™ 25150
	0.63	25.0	1.50	Ozline™ 25250, DripNet PC™ 25250


DESCRIPTION	TL coupling 25		
CATALOG NUMBERS	1 units	32500-019480	


DESCRIPTION	TL 25 MTH ¾"		
CATALOG NUMBERS	1 units	32500-019485	





START CONNECTORS FOR LAY FLAT (LYF) PIPES & SPARE PARTS


DESCRIPTION	LYF fast start connector 16 w/ring		
CATALOG NUMBERS	1 unit	32500-018045	
	50 units/bag		
	100 units/bag		


DESCRIPTION	LYF fast start connector 22 w/ring		
CATALOG NUMBERS	1 unit	32500-018260	
	50 units/bag	32500-018263	
	100 units/bag		


DESCRIPTION	LYF barb 16 start connector		
CATALOG NUMBERS	1 unit	32500-013340	
	50 units/bag		
	100 units/bag		


DESCRIPTION	LYF barb 17 start connector		
CATALOG NUMBERS	1 unit	32500-007555	
	50 units/bag		
	100 units/bag	32500-007557	


DESCRIPTION	LYF barb 20 start connector		
CATALOG NUMBERS	1 unit	32500-010255	
	50 units/bag		
	100 units/bag	32500-010260	


DESCRIPTION	LYF nut 3/8" ID		
CATALOG NUMBERS	1 unit	32500-018075	
	50 units/bag		
	100 units/bag		

DESCRIPTION	LYF nut 1/2" ID		
CATALOG NUMBERS	1 unit	32500-018255	
	50 units/bag		
	100 units/bag		


Description	LYF repair device 3/8" ID – 1/2" MTH		
Catalog numbers	1 unit	32500-018030	
	50 units/bag		
	100 units/bag		


DESCRIPTION	LYF repair device 1/2" ID – 1/2" MTH		
CATALOG NUMBERS	1 unit	32500-018035	
	50 units/bag		
	100 units/bag		


DESCRIPTION	LYF 3/4" MTH start connector		
CATALOG NUMBERS	1 unit	32500-018085	
	50 units/bag		
	100 units/bag		





START CONNECTORS FOR LAY FLAT (LYF) & POLYNET™


DESCRIPTION	PLN & LYF fast 16 w/o ring adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-018065	
	50 units/bag		
	100 units/bag		


DESCRIPTION	PLN & LYF fast 22 w/o ring adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-018245	
	50 units/bag		
	100 units/bag		


DESCRIPTION	PLN & LYF barb 16 adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-013380	
	50 units/bag		
	100 units/bag	32500-013390	

DESCRIPTION	PLN & LYF fast 22 with assembly ring adapter FTH 1/2"		
CATALOG NUMBERS	100 units/bag	32500-018268	

DESCRIPTION	PLN & LYF barb 17 adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-007560	
	50 units/bag		
	100 units/bag	32500-007562	

DESCRIPTION	PLN & LYF barb 20 adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-010275	
	50 units/bag		
	100 units/bag	32500-010280	


DESCRIPTION	PLN & LYF 3/4" MTH adapter FTH 1/2"		
CATALOG NUMBERS	1 unit	32500-018095	
	50 units/bag		
	100 units/bag	32500-018098	

DESCRIPTION	PLN & LYF fast 16 with assembly ring adapter FTH 1/2"		
CATALOG NUMBERS	100 units/bag	32500-018049	




START CONNECTORS FOR POLYNET™ & FLATNET™ & SPARE PARTS


DESCRIPTION	PLN fast start connector 16 w/ring	
CATALOG NUMBERS	100 units/bag	32500-024450




DESCRIPTION	PLN 3/4" MTH start connector	
CATALOG NUMBERS	100 units/bag	32500-024400




DESCRIPTION	PLN fast start connector 22 w/ring	
CATALOG NUMBERS	100 units/bag	32500-024200




DESCRIPTION	PLN Nut start connector	
CATALOG NUMBERS	100 units/bag	32500-024640




DESCRIPTION	PLN barb 16 start connector	
CATALOG NUMBERS	100 units/bag	32500-024250




DESCRIPTION	PLN start connector threaded body	
CATALOG NUMBERS	100 units/bag	32500-024610




DESCRIPTION	PLN barb 17 start connector	
CATALOG NUMBERS	100 units/bag	32500-024300




DESCRIPTION	PLN barb 20 start connector	
CATALOG NUMBERS	100 units/bag	32500-024350




DESCRIPTION	PLN repair start connector	
CATALOG NUMBERS	50 units/bag	32500-024750



DESCRIPTION	PLN plug connector	
CATALOG NUMBERS	50 units/bag	32500-024150



DESCRIPTION	FTN & PLN start connector	
CATALOG NUMBERS	50 units/bag	32500-042300



POLYNET™ CONNECTORS KITS

COUPLING CONNECTOR	CATALOG NO.	PRODUCT PICTURE
2"/51 mm	43040-018000	
3"/78 mm	43040-018150	
4"/102 mm	43040-018300	
6"/160 mm	43020-010750	 Each kit includes 2 rubber gaskets and 2 metal rings
8"/209 mm	43020-010800	
10"/260 mm	43020-010850	
12"/320 mm	43020-010900	
ELBOW CONNECTOR		
2"/51 mm	43040-018900	
3"/78 mm	43040-019000	
4"/102 mm	43040-019100	
6"/160 mm	43020-016500	 Each kit includes 2 rubber gaskets and 2 metal rings
8"/209 mm	43020-016550	
10"/260 mm	43020-016600	
12"/320 mm	43020-016650	
"T" CONNECTOR		
2"/51 mm	43040-019500	
3"/78 mm	43040-019600	
4"/102 mm	43040-019700	
6"/160 mm	43020-016730	 Each kit includes 3 rubber gaskets and 3 metal rings
8"/209 mm	43020-016770	
10"/260 mm	43020-016850	
12"/320 mm	43020-016920	
"T" TRANSITION CONNECTOR		
3"-2"-3" (78 mm-51 mm-78 mm)	43040-020100	
4"-3"-4" (102 mm-78 mm-102 mm)	43040-020200	
8"-6"-8" (209 mm-160 mm-209 mm)	43020-016750	 Each kit includes 3 rubber gaskets and 3 metal rings
10"-8"-10" (260 mm-209 mm-260 mm)	43020-016800	
12"-10"-12" (320 mm-260 mm-320 mm)	43020-016900	
BARB X MTH BSP ADAPTOR		
2"/50 mm	43040-018050	
3"/78 mm	43040-018200	
4"/102 mm	43040-018350	
BARB X PVC SW ISO ADAPTOR		
2"/50 mm - ISO 50/63	43040-018100	
3"/78 mm - ISO 75/90	43040-018250	
4"/102 mm - ISO 110	43040-018400	

POLYNET™ CONNECTORS KITS

TRANSITION CONNECTOR	CATALOG NO.	PRODUCT PICTURE
2"/51 mm	43040-020300	
3"/78 mm	43040-020400	
4"/102 mm	43020-016980	
6"/160 mm	43020-017000	 <p>Each kit includes 2 rubber gasket and 2 metal rings</p>
8"/209 mm	43020-017050	
10"/260 mm	43020-017100	
12"/320 mm	43020-017100	
FLANGE-BARB-FLANGE		
6"/160 mm	43020-013600	 <p>Each kit includes 1 rubber gasket and 1 metal rings A flat wood drill bit and 2 metal support rings</p>
8"/209 mm	43020-013620	
10"/260 mm	43020-013640	
FLANGE-BARB		
2"/51 mm	43040-030000	
3"/78 mm	43040-030100	
4"/102 mm	43040-030200	
6"/160 mm	43020-012600	 <p>Each kit includes 1 rubber gasket and 1 metal ring A flat wood drill bit and a metal support ring</p>
8"/209 mm	43020-012620	
10"/260 mm	43020-012640	
12"/302 mm	43020-012645	
FLUSHING LINE END		
2"/51 mm	43040-030300	
3"/78 mm	43040-030400	
4"/102 mm	43040-030500	
6"/160 mm	43020-012780	 <p>Each kit includes 1 rubber gasket and 1 metal ring</p>
8"/209 mm	43020-012800	
10"/260 mm	43020-012820	
12"/302 mm	43020-012830	

FLATNET™ CONNECTORS KITS

PRODUCT DESCRIPTION	CATALOG NO.	PRODUCT PICTURE
PLN/FTN Coupling Barb Con. 2" kit PLN/FTN Coupling Barb Con. 3" kit PLN/FTN Coupling Barb Con. 4" kit	43040-018000 43040-018150 43040-018300	
PLN/FTN Barb Con. 2" x MTH BSP 2" kit PLN/FTN Barb Con. 3" x MTH BSP 3" kit PLN/FTN Barb Con. 4" x MTH BSP 4" kit	43040-018050 43040-018200 43040-018350	
PLN/FTN Barb Con. 2" x SW ISO 50/63 kit PLN/FTN Barb Con. 2" x SW ISO 75/90 kit PLN/FTN Barb Con. 2" x SW ISO 110 kit	43040-018100 43040-018250 43040-018400	
PLN/FTN Elbow Barb Con 2" kit PLN/FTN Elbow Barb Con 3" kit PLN/FTN Elbow Barb Con 4" kit	43040-018900 43040-019000 43040-019100	
PLN/FTN Elbow Barb Con 2" x FTH BSP 2" kit PLN/FTN Elbow Barb Con 3" x FTH BSP 3" kit PLN/FTN Elbow Barb Con 4" x FTH BSP 4" kit	43040-019200 43040-019300 43040-019400	
PLN/FTN Barb Con. 2" x FTH BSP 2" kit PLN/FTN Barb Con. 3" x FTH BSP 3" kit PLN/FTN Barb Con. 4" x FTH BSP 4" kit	43040-018600 43040-018700 43040-018800	
PLN/FTN Cap Barb Con 2" kit PLN/FTN Cap Barb Con 3" kit PLN/FTN Cap Barb Con 4" kit	43040-020500 43040-020600 43040-020700	
PLN/FTN Tee Barb Con 2" kit PLN/FTN Tee Barb Con 3" kit PLN/FTN Tee Barb Con 4" kit	43040-019500 43040-019600 43040-019700	
PLN/FTN Tee Barb Con 2" x FTH BSP 2" kit PLN/FTN Tee Barb Con 3" x FTH BSP 3" kit PLN/FTN Tee Barb Con 4" x FTH BSP 4" kit	43040-019800 43040-019900 43040-020000	
PLN/FTN Tee Barb Con 3" x 2" x 3" kit PLN/FTN Tee Barb Con 4" x 3" x 4" kit	43040-020100 43040-020200	
PLN/FTN Reducer Barb Con 3" x 2" kit PLN/FTN Reducer Barb Con 4" x 3" kit	43040-020300 43040-020400	
PLN/FTN Barb Con. 4" x MTH BSP 3" kit	43040-018500	
PLN/FTN Barb con. 2" x Flange ISO 63 kit PLN/FTN Barb con. 3" x Flange ISO 90 kit PLN/FTN Barb con. 4" x Flange ISO 110 kit	43040-030000 43040-030100 43040-030200	

